

Author Index

- Altmann, L., see Gutowski, M. (98) 82
- Aoki, C.
Postnatal changes in the laminar and subcellular distribution of NMDA-R1 subunits in the cat visual cortex as revealed by immuno-electron microscopy (98) 41
- Baker, R.E. and Van Pelt, J.
Cocultured, but not isolated, cortical explants display normal dendritic development: a long-term quantitative study (98) 21
- Baram, T.Z., Gerth, A. and Schultz, L.
Febrile seizures: an appropriate-aged model suitable for long-term studies (98) 265
- Bauxis-Lagrange, S., see Garbay, B. (98) 197
- Beyer, C. and Hutchison, J.B.
Androgens stimulate the morphological maturation of embryonic hypothalamic aromatase-immunoreactive neurons in the mouse (98) 74
- Blohm, D.H., see Heck, S. (98) 211
- Boiron-Sargueil, F., see Garbay, B. (98) 197
- Burke, R.E., see Oo, T.F. (98) 191
- Caddy, K., see N6grádi, A. (98) 91
- Carlson-Kuhta, P., Villablanca, J.R. and Loopuijt, L.D.
Innervation of the caudate nucleus, thalamus and red nucleus by the remaining sensorimotor cortex in cats with fetal or neonatal unilateral frontal cortex removal (98) 234
- Carter, N., see N6grádi, A. (98) 91
- Cassagne, C., see Garbay, B. (98) 197
- Chang, R.P., see Kahn, M.A. (98) 221
- Cherubini, E., see Virginio, C. (98) 30
- Chiba, C., Matsushima, O., Muneoka, Y. and Saito, T.
Time course of appearance of GABA and GABA receptors during retinal regeneration in the adult newt (98) 204
- Choi, S.J., Weisberg, S.N. and Kellogg, C.K.
Control of endogenous norepinephrine release in the hypothalamus of male rats changes over adolescent development (98) 134
- Coulter, C.L., Happe, H.K. and Murrin, L.C.
Postnatal development of the dopamine transporter: a quantitative autoradiographic study. *Developmental Brain Research* 92 (1996) 172–181 (BRES 52149) (98) 150
- Cramer, K.S. and Sur, M.
Blockade of afferent impulse activity disrupts on/off sublamination in the ferret lateral geniculate nucleus (98) 287
- Criado, M., see Domínguez del Toro, E. (98) 125
- Delhay-Bouchaud, N., see Hadj-Sahraoui, N. (98) 1
- De Vellis, J., see Kahn, M.A. (98) 221
- Domínguez del Toro, E., Juíz, J.M., Smillie, F.I., Lindstrom, J. and Criado, M.
Expression of $\alpha 7$ neuronal nicotinic receptors during postnatal development of the rat cerebellum (98) 125
- Dunnett, S.B., see Rosser, A.E. (98) 291
- Dux, E., see Paschen, W. (98) 271
- Duxson, M.J., see Sheard, P.W. (98) 259
- Ellison, J.A., see Kahn, M.A. (98) 221
- Elson, G., see Garbay, B. (98) 197
- Enz, R., see Heck, S. (98) 211
- Fisher, S. and Guillet, R.
Neonatal caffeine alters passive avoidance retention in rats in an age- and gender-related manner (98) 145
- Frederic, F., see Hadj-Sahraoui, N. (98) 1
- Garbay, B., Bauxis-Lagrange, S., Boiron-Sargueil, F., Elson, G. and Cassagne, C.
Acetyl-CoA carboxylase gene expression in the developing mouse brain. Comparison with other genes involved in lipid biosynthesis (98) 197
- Gerth, A., see Baram, T.Z. (98) 265
- Ghetti, B., see Zhang, W. (98) 164
- Giordano, J.
Antinociceptive effects of intrathecally administered 2-methylserotonin in developing rats (98) 142
- Gissel, C., see Paschen, W. (98) 271
- Greensmith, L., Hind, A. and Vrbová, G.
Neonatal paralysis of the rat soleus muscle selectively affects motoneurons from more caudal segments of the spinal cord (98) 281
- Guillet, R., see Fisher, S. (98) 145
- Gutowski, M., Altmann, L., Sveinsson, K. and Wiegand, H.
Postnatal development of synaptic plasticity in the CA3 hippocampal region of control and lead-exposed Wistar rats (98) 82
- Hadj-Sahraoui, N., Frederic, F., Zanjani, H., Herrup, K., Delhay-Bouchaud, N. and Mariani, J.
Purkinje cell loss in heterozygous staggerer mutant mice during aging (98) 1
- Happe, H.K., see Coulter, C.L. (98) 150
- Haring, J.H., see Yan, W. (98) 177
- Haring, J.H., see Yan, W. (98) 185
- Hatanaka, Y.
Early molecular specification in the hippocampal rudiment: isolation of genes expressed in a region-specific manner in the embryonic telencephalon (98) 65
- Heck, S., Enz, R., Richter-Landsberg, C. and Blohm, D.H.
Expression and mRNA splicing of glycine receptor subunits and gephyrin during neuronal differentiation of P19 cells in vitro, studied by RT-PCR and immunocytochemistry (98) 211
- Herrup, K., see Hadj-Sahraoui, N. (98) 1
- Hind, A., see Greensmith, L. (98) 281
- Hutchison, J.B., see Beyer, C. (98) 74
- Ikeda, Y., Nishiyama, N., Saito, H. and Katsuki, H.
GABA_A receptor stimulation promotes survival of embryonic rat striatal neurons in culture (98) 253
- Inderbitzin, S., Lauber, M.E., Schlumpf, M. and Lichtensteiger, W.
Amphetamine-induced preprodynorphin mRNA expression and κ -opioid receptor binding in basal ganglia of adult rats after prenatal exposure to diazepam (98) 114
- Jonsson, N., see N6grádi, A. (98) 91
- Juíz, J.M., see Domínguez del Toro, E. (98) 125
- Kahn, M.A., Ellison, J.A., Chang, R.P., Speight, G.J. and De Vellis, J.
CNTF induces GFAP in a S-100 α brain cell population: the pattern of CNTF- α R suggests an indirect mode of action (98) 221
- Katsuki, H., see Ikeda, Y. (98) 253
- Kellogg, C.K., see Choi, S.J. (98) 134
- Kelly, C., see N6grádi, A. (98) 91
- Kniesel, U., Risau, W. and Wolburg, H.
Development of blood-brain barrier tight junctions in the rat cortex. (*Developmental Brain Research* 96 (1996) 229–240) (BRES 52235) (98) 296
- Lauber, M.E., see Inderbitzin, S. (98) 114
- Lee, W.-H., see Zhang, W. (98) 164

Author Index

- Altmann, L., see Gutowski, M. (98) 82
- Aoki, C.
Postnatal changes in the laminar and subcellular distribution of NMDA-R1 subunits in the cat visual cortex as revealed by immuno-electron microscopy (98) 41
- Baker, R.E. and Van Pelt, J.
Cocultured, but not isolated, cortical explants display normal dendritic development: a long-term quantitative study (98) 21
- Baram, T.Z., Gerth, A. and Schultz, L.
Febrile seizures: an appropriate-aged model suitable for long-term studies (98) 265
- Bauxis-Lagrange, S., see Garbay, B. (98) 197
- Beyer, C. and Hutchison, J.B.
Androgens stimulate the morphological maturation of embryonic hypothalamic aromatase-immunoreactive neurons in the mouse (98) 74
- Blohm, D.H., see Heck, S. (98) 211
- Boiron-Sargueil, F., see Garbay, B. (98) 197
- Burke, R.E., see Oo, T.F. (98) 191
- Caddy, K., see N6grádi, A. (98) 91
- Carlson-Kuhta, P., Villablanca, J.R. and Loopuijt, L.D.
Innervation of the caudate nucleus, thalamus and red nucleus by the remaining sensorimotor cortex in cats with fetal or neonatal unilateral frontal cortex removal (98) 234
- Carter, N., see N6grádi, A. (98) 91
- Cassagne, C., see Garbay, B. (98) 197
- Chang, R.P., see Kahn, M.A. (98) 221
- Cherubini, E., see Virginio, C. (98) 30
- Chiba, C., Matsushima, O., Muneoka, Y. and Saito, T.
Time course of appearance of GABA and GABA receptors during retinal regeneration in the adult newt (98) 204
- Choi, S.J., Weisberg, S.N. and Kellogg, C.K.
Control of endogenous norepinephrine release in the hypothalamus of male rats changes over adolescent development (98) 134
- Coulter, C.L., Happe, H.K. and Murrin, L.C.
Postnatal development of the dopamine transporter: a quantitative autoradiographic study. *Developmental Brain Research* 92 (1996) 172–181 (BRES 52149) (98) 150
- Cramer, K.S. and Sur, M.
Blockade of afferent impulse activity disrupts on/off sublamination in the ferret lateral geniculate nucleus (98) 287
- Criado, M., see Domínguez del Toro, E. (98) 125
- Delhay-Bouchaud, N., see Hadj-Sahraoui, N. (98) 1
- De Vellis, J., see Kahn, M.A. (98) 221
- Domínguez del Toro, E., Juíz, J.M., Smillie, F.I., Lindstrom, J. and Criado, M.
Expression of $\alpha 7$ neuronal nicotinic receptors during postnatal development of the rat cerebellum (98) 125
- Dunnett, S.B., see Rosser, A.E. (98) 291
- Dux, E., see Paschen, W. (98) 271
- Duxson, M.J., see Sheard, P.W. (98) 259
- Ellison, J.A., see Kahn, M.A. (98) 221
- Elson, G., see Garbay, B. (98) 197
- Enz, R., see Heck, S. (98) 211
- Fisher, S. and Guillet, R.
Neonatal caffeine alters passive avoidance retention in rats in an age- and gender-related manner (98) 145
- Frederic, F., see Hadj-Sahraoui, N. (98) 1
- Garbay, B., Bauxis-Lagrange, S., Boiron-Sargueil, F., Elson, G. and Cassagne, C.
Acetyl-CoA carboxylase gene expression in the developing mouse brain. Comparison with other genes involved in lipid biosynthesis (98) 197
- Gerth, A., see Baram, T.Z. (98) 265
- Ghetti, B., see Zhang, W. (98) 164
- Giordano, J.
Antinociceptive effects of intrathecally administered 2-methylserotonin in developing rats (98) 142
- Gissel, C., see Paschen, W. (98) 271
- Greensmith, L., Hind, A. and Vrbová, G.
Neonatal paralysis of the rat soleus muscle selectively affects motoneurons from more caudal segments of the spinal cord (98) 281
- Guillet, R., see Fisher, S. (98) 145
- Gutowski, M., Altmann, L., Sveinsson, K. and Wiegand, H.
Postnatal development of synaptic plasticity in the CA3 hippocampal region of control and lead-exposed Wistar rats (98) 82
- Hadj-Sahraoui, N., Frederic, F., Zanjani, H., Herrup, K., Delhay-Bouchaud, N. and Mariani, J.
Purkinje cell loss in heterozygous staggerer mutant mice during aging (98) 1
- Happe, H.K., see Coulter, C.L. (98) 150
- Haring, J.H., see Yan, W. (98) 177
- Haring, J.H., see Yan, W. (98) 185
- Hatanaka, Y.
Early molecular specification in the hippocampal rudiment: isolation of genes expressed in a region-specific manner in the embryonic telencephalon (98) 65
- Heck, S., Enz, R., Richter-Landsberg, C. and Blohm, D.H.
Expression and mRNA splicing of glycine receptor subunits and gephyrin during neuronal differentiation of P19 cells in vitro, studied by RT-PCR and immunocytochemistry (98) 211
- Herrup, K., see Hadj-Sahraoui, N. (98) 1
- Hind, A., see Greensmith, L. (98) 281
- Hutchison, J.B., see Beyer, C. (98) 74
- Ikeda, Y., Nishiyama, N., Saito, H. and Katsuki, H.
GABA_A receptor stimulation promotes survival of embryonic rat striatal neurons in culture (98) 253
- Inderbitzin, S., Lauber, M.E., Schlumpf, M. and Lichtensteiger, W.
Amphetamine-induced preprodynorphin mRNA expression and κ -opioid receptor binding in basal ganglia of adult rats after prenatal exposure to diazepam (98) 114
- Jonsson, N., see N6grádi, A. (98) 91
- Juíz, J.M., see Domínguez del Toro, E. (98) 125
- Kahn, M.A., Ellison, J.A., Chang, R.P., Speight, G.J. and De Vellis, J.
CNTF induces GFAP in a S-100 α brain cell population: the pattern of CNTF- α R suggests an indirect mode of action (98) 221
- Katsuki, H., see Ikeda, Y. (98) 253
- Kellogg, C.K., see Choi, S.J. (98) 134
- Kelly, C., see N6grádi, A. (98) 91
- Kniesel, U., Risau, W. and Wolburg, H.
Development of blood-brain barrier tight junctions in the rat cortex. (*Developmental Brain Research* 96 (1996) 229–240) (BRES 52235) (98) 296
- Lauber, M.E., see Inderbitzin, S. (98) 114
- Lee, W.-H., see Zhang, W. (98) 164

- Lichtensteiger, W., see Inderbitzin, S. (98) 114
 Lindstrom, J., see Domínguez del Toro, E. (98) 125
 Loopuijt, L.D., see Carlson-Kuhta, P. (98) 234
 Mariani, J., see Hadj-Sahraoui, N. (98) 1
 Martin, G.F., see Wang, X.M. (98) 151
 Martínez, A., see Supèr, H. (98) 15
 Matsushima, O., see Chiba, C. (98) 204
 Muneoka, Y., see Chiba, C. (98) 204
 Murrin, L.C., see Coulter, C.L. (98) 150
 Nishiyama, N., see Ikeda, Y. (98) 253
 Nógrádi, A., Jonsson, N., Walker, R., Caddy, K., Carter, N. and Kelly, C.
 Carbonic anhydrase II and carbonic anhydrase-related protein in the cerebellar cortex of normal and *lurcher* mice (98) 91
 Oo, T.F. and Burke, R.E.
 The time course of developmental cell death in phenotypically defined dopaminergic neurons of the substantia nigra (98) 191
 Paschen, W., Schmitt, J., Gissel, C. and Dux, E.
 Developmental changes of RNA editing of glutamate receptor subunits GluR5 and GluR6: in vivo versus in vitro (98) 271
 Pérez Sust, P., see Supèr, H. (98) 9
 Qin, Y.Q., see Wang, X.M. (98) 151
 Richardson, N.A., see Sherrard, R.M. (98) 102
 Richter-Landsberg, C., see Heck, S. (98) 211
 Risau, W., see Kniesel, U. (98) 296
 Rosser, A.E., Tyers, P., Ter Borg, M., Dunnett, S.B. and Svendsen, C.N.
 Co-expression of MAP-2 and GFAP in cells developing from rat EGF responsive precursor cells (98) 291
 Saito, H., see Ikeda, Y. (98) 253
 Saito, T., see Chiba, C. (98) 204
 Sankar, R., Shin, D.H. and Wasterlain, C.G.
 GABA metabolism during status epilepticus in the developing rat brain (98) 60
 Sara, V.R., see Sherrard, R.M. (98) 102
 Schlumpf, M., see Inderbitzin, S. (98) 114
 Schmitt, J., see Paschen, W. (98) 271
 Schultz, L., see Baram, T.Z. (98) 265
 Shah, B.H., see Siddiqui, A. (98) 247
 Sheard, P.W. and Duxson, M.J.
 The transient existence of 'en passant' nerve terminals in normal embryonic rat skeletal muscle (98) 259
 Sherrard, R.M., Richardson, N.A. and Sara, V.R.
 Localisation of insulin-like growth factor-I (IGF-I) immunoreactivity in the olivocerebellar system of developing and adult rats (98) 102
 Shin, D.H., see Sankar, R. (98) 60
 Siddiqui, A. and Shah, B.H.
 Neonatal androgen manipulation differentially affects the development of monoamine systems in rat cerebral cortex, amygdala and hypothalamus (98) 247
 Smillie, F.I., see Domínguez del Toro, E. (98) 125
 Soriano, E., see Supèr, H. (98) 15
 Soriano, E., see Supèr, H. (98) 9
 Speight, G.J., see Kahn, M.A. (98) 221
 Supèr, H., Martínez, A. and Soriano, E.
 Degeneration of Cajal-Retzius cells in the developing cerebral cortex of the mouse after ablation of meningeal cells by 6-hydroxydopamine (98) 15
 Supèr, H., Pérez Sust, P. and Soriano, E.
 Survival of Cajal-Retzius cells after cortical lesions in newborn mice: a possible role for Cajal-Retzius cells in brain repair (98) 9
 Sur, M., see Cramer, K.S. (98) 287
 Sveinsson, K., see Gutowski, M. (98) 82
 Svendsen, C.N., see Rosser, A.E. (98) 291
 Ter Borg, M., see Rosser, A.E. (98) 291
 Terman, J.R., see Wang, X.M. (98) 151
 Tyers, P., see Rosser, A.E. (98) 291
 Van Pelt, J., see Baker, R.E. (98) 21
 Villablanca, J.R., see Carlson-Kuhta, P. (98) 234
 Virginio, C. and Cherubini, E.
 Glycine-activated whole cell and single channel currents in rat cerebellar granule cells in culture (98) 30
 Vrbová, G., see Greensmith, L. (98) 281
 Walker, R., see Nógrádi, A. (98) 91
 Wang, X.M., Qin, Y.Q., Terman, J.R. and Martin, G.F.
 Early development and developmental plasticity of the fasciculus gracilis in the North American opossum (*Didelphis virginiana*) (98) 151
 Wasterlain, C.G., see Sankar, R. (98) 60
 Weisberg, S.N., see Choi, S.J. (98) 134
 Wiegand, H., see Gutowski, M. (98) 82
 Wilson, C.C., see Yan, W. (98) 177
 Wilson, C.C., see Yan, W. (98) 185
 Wolburg, H., see Kniesel, U. (98) 296
 Yan, W., Wilson, C.C. and Haring, J.H.
 5-HT_{1a} receptors mediate the neurotrophic effect of serotonin on developing dentate granule cells (98) 185
 Yan, W., Wilson, C.C. and Haring, J.H.
 Effects of neonatal serotonin depletion on the development of rat dentate granule cells (98) 177
 Zanjani, H., see Hadj-Sahraoui, N. (98) 1
 Zhang, W., Ghetti, B. and Lee, W.-H.
 Decreased IGF-I gene expression during the apoptosis of Purkinje cells in *pcd* mice (98) 164